

N73


high heat resistance, high reliability metal film chip resistor

features




- High precision type ±0.05% is available with standard products
- Improved moisture resistance by glass passivation layer
- High reliability and high stability at elevated temperatures
- Low current noise
- Products with lead-free terminations meet EU RoHS requirements
- Rated ambient temperature: 85°C, rated up to +155°C
- AEC-Q200 Qualified: 0402 (1E), 0603 (1J), 0805 (2A), 1206 (2B), 1210 (2E)

dimensions and construction С ≪− C –




Derating Curve




For resistors operated at an ambient temperature of 85°C or above, a power rating shall be derated in accordance with the above derating curve.

ordering information

Туре	Dimensions inches (<i>mm</i>)							
(Inch Size Code)	L	W	С	d	t			
1E (0402)	.039 +.004 002 (1.0 _{-0.05})	.020±.002 (0.5±0.05)	.010±.004 (0.25±0.1)	.010 +.002 004 (0.25 +0.05 -0.1	.014±.002 (0.35±0.05)			
1J (0603)	.063±.008 (1.6±0.2)	.031±.004 (0.8±0.1)	.012±.004 (0.3±0.1)	.012±.004 (0.3±0.1)	.018±.004 (0.45±0.1)			
2A (0805)	.079±.008 (2.0±0.2)	.049±.008 (1.25±0.2)	.016±.008 (0.4±0.2)	.012 +.008 004 (0.3 +0.2 -0.1)	.02±.004 (0.5±0.1)			
2B (1206)	.126±.008	.063±.008 (1.6±0.2)	.02±.012	.016 +.008	.024±.004 (0.6±0.1)			
2E (1210)	(3.2±0.2)	.098±.008 (2.5±0.2)	(0.5±0.3)	$(0.4 \ ^{+0.2}_{-0.1})$				



For resistors operated terminal part temperature of described for each size or above, a power rating shall be derated in accordance with derating curve. Please refer to "Introduction of the derating curves based on the terminal part temperature" in the beginning of our catalog before use.





RN73H

high heat resistance, high reliability metal film chip resistor

applications and ratings

Part Designation	Power Rating	Rated Ambient	Rated Terminal Part Temp.	T.C.R. (ppm/°C) Resistance Range (Ω) E-24, E-96, E-192*					Maximum Working	Maximum Overload	
Designation	@ 85°C	Temp.		Max.	(A±0.05%)	(B±0.1%)	(C±0.25%)	(D±0.5%)	(F±1.0%)	Voltage	Voltage
RN73H1E 1/16W (.063W)				±10	—	47 - 10k	47 - 10k	47 - 10k	47 - 10k		
	85°C	90°C	±25	_	47 - 300k	47 - 300k	47 - 300k	47 - 300k	50V	100V	
	(.00377)			±50	—	47 - 300k	47 - 300k	10 - 300k	10 - 300k		
RN73H1J 1/10W (.10W)				±5	100 - 59k	100 - 59k	—	—		_	
				±10	47 - 59k	47 - 360k	47 - 360k	47 - 360k	47 - 360k		
	85°C	95°C	±25	47 - 59k	15 - 1M	15 - 1M	10 - 1M	10 - 1M	75V	150V	
	(.1000)			±50	_	15 - 1M	15 - 1M	10 - 1M	10 - 1M]	
			±100	_	—	_	10 - 1M	10 - 1M			
RN73H2A 1/8W (.125W)				±5	100 - 100k	100 - 100k	—	—			
			±10	47 - 100k	47 - 1M	47 - 1M	47 - 1M	47 - 1M]		
		85°C	100°C	±25	47 - 100k	15 - 1.5M	15 - 1.5M	10 - 1.5M	10 - 1.5M	150V	300V
	· · ·			±50	—	15 - 1.5M	15 - 1.5M	10 - 1.5M	10 - 1.5M		
				±100				10 - 1.5M	10 - 1.5M		
RN73H2B 1/4W (.25W)		4W		±5	100 - 300k	100 - 300k	—	—	—		
	1/4W			±10	47 - 300k	47 - 1M	47 - 1M	47 - 1M	47 - 1M		
	/) 85°C	110°C	±25	47 - 300k	15 - 1M	15 - 1M	10 - 1M	10 - 1M	200V	400V	
				±50	_	15 - 1M	15 - 1M	10 - 1M	10 - 1M]	
				±100	_	—	—	10 - 1M	10 - 1M		
DNIZOLIOE			°C 110°C	±10	100 - 510k	200V	400V				
	1/4W			±25	51 - 510k	15 - 1M	15 - 1M	10 - 1M	10 - 1M		
	(.25W)	85°C		±50		15 - 1M	15 - 1M	10 - 1M	10 - 1M		
				±100	_	_	—	10 - 1M	10 - 1M		

* No marking on E-192 values

Operating Temperature: -55°C to +155°C

environmental applications

Performance Characteristics

	Requirement Δ R ±(%+0.05 Ω)		
Parameter	Limit	Typical	Test Method
Resistance	Within specified tolerance	—	25°C
T.C.R.	Within specified T.C.R.	—	+25°C/+125°C: T.C.R. +5 (x10°K); +15°C/-55°C and +25°C/+155°C: other
Overload (Short time)	±0.05%	±0.01%	Rated Voltage x 2.5 or Max. overload voltage, whichever is less for 5 seconds
Resistance to Solder Heat	±0.05%*	±0.01%	$260^{\circ}C \pm 5^{\circ}C$, 10 seconds ± 1 second
Rapid Change of Temperature	±0.1%*	±0.02%	1E, 1J, 2A: -55°C (30 minutes), +155°C (30 minutes), 1000 cycles 2B, 2E: -55°C (30 minutes), +155°C (30 minutes), 500 cycles
Moisture Resistance	±0.1%*	±0.05%	85°C ± 2°C, 85%±5%RH, 1000 hours; 1.5 hr ON, 0.5 hr OFF cycle
Endurance at 85°C	±0.1%*	±0.03%	85°C ± 2°C, 3000 hours, 1.5 hr ON, 0.5 hr OFF cycle
High Temperature Exposure	±0.1%*	±0.05%	+155°C, 1000 hours

* Depends on resistance value, please contact KOA Speer for details.

Precautions for Use

- The properly and electrostatically measured taping materials are used for the components, but attention should be paid to the fact that there is some danger the parts absorb on the top tapes to cause a failure in the mounting and the parts are destructed by static electricity (1J, 2A, 2B, 2E: 1kV and more, 1E: 0.5kV and more at Human Body Model 100pF, 1.5kΩ) to change the resistance in the conditions of an excessive dryness or after the parts are given vibration for a long time as they are packaged on the tapes. Similarly, care should be given not to apply the excessive static electricity when mounting on the boards.
- Ionic impurities such as flux etc. that are attached to these products or those mounted onto a PCB, negatively affect their moisture resistance, corrosion resistance, etc. The flux may contain ionic substances like chlorine, acid, etc. while perspiration and saliva include ionic impurities like sodium (Na +), chlorine (CI–) etc. Therefore these kinds of ionic substances may induce electrical corrosion when they invade into the products. Either thorough washing or using RMA solder and flux are necessary since lead free solder contains ionic substances. Washing process is needed, before putting on moisture proof material in order to prevent electrical corrosion.
- Please pay attention that the top of an iron does not direct touch to the components. There is a risk that may cause a change in resistance. Take care that another risk may happen that the protecting coat is carbonized in an instant when touched directly by the top of the iron, also climatic-proof for electric corrosion or insulation of protecting coat.
- Avoid storing components under direct sun rays, high temperature/humidity. Direct sun rays will cause quality change of taping and difficulty of keeping appropriate peeling strength. 5~35°C/35~75%RH, there is no deterioration of solderability for 12 months, but take special care for storing, because condensation, dust, and toxic gas like hydrogen sulfide, sulfurous acid gas, hydrogen chloride, etc. may drop solderability.
- The upper electrodes could be peeled off when a heat-resistant masking tape is attached to the mounted chip resistors and then detached from them. It is confirmed that the adhesiveness gets stronger due to the exposure to heat under mounting. Accordingly, we recommend the use of masking tape be refrained. If the use of heat-resistant masking tape is unavoidable, please make sure that the adhesives on the tape do not directly come in contact with the product.

For Surface Temperature Rise Graph see Environmental Applications. Additional environmental applications can also be found at www.koaspeer.com Specifications given herein may be changed at any time without prior notice. Please confirm technical specifications before you order and/or use. 11/06/17